

WSM Shockmount Series *Enclosed Cabinets*

CLAYTEK Enclosed Cabinet

Optional Front and Rear Cover




Spring Loaded Recessed Handle Design

Vented Holes on Side for Air Flow While Covers are Closed

High-Quality Rugged Structure Installed

U Lableing for Convenience



Anti-Vibration Design on Top and Bottom of the Cage

Model No.	Form Factor	Dimension (inches)			Assembly Required?	Loading Capacity (lbs)	Door	Removable Side panels	Security	Casters	Page No.
		W	H	D							
WSM-660	6U	27.56	19.69	23.62	No	176	Optional	No	No	Optional	55
WSM-960	9U	27.56	25.71	23.62	No	176	Optional	No	No	Optional	56
WSM-1560	15U	27.56	36.22	23.62	No	176	Optional	No	No	Optional	56

WSM-660

6U 600mm Depth Rackmount Server Cabinet



Features

- Rugged Shockmount Style
- Patent Design on Industrial Spring under Cabinet Post Cage
- Portable Handle
- Front & Back Lockable Door
- Anti-Vibration Design
- Universal Fit Most of Rackmount Chassis and Equipment
- Optional Front and Rear Cover



Introduction

The WSM series shockmount cabinet is built with high-quality aluminum/steel structures and anti-vibration patent design. With handle design, WSM series provides your critical rackmount equipment the ultimate mobility. Optional front and rear covers are able to prevent your critical systems from collision damage. This stylish and secured 19" cabinet is optimized for small business, research institutions, and professional studio.

Specifications

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

Shipping Information

Shipper Design	Standard Carton
Weight	139 lbs
Pallet Load	1

Accessories

WA-PD010	10 Outlet Overload Circuit Breaker Protection Power Distribution Unit
WA-PD014	14 Outlet Lightning Surge Protection Power Distribution Unit
WA-PS06A	6 Outlet Power Strip

WSM Shockmount Series *Enclosed Cabinets*

WSM-960 9U 600mm Depth Rackmount Server Cabinet



Specifications

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

WSM-1560 15U 600mm Depth Rackmount Server Cabinet



Specifications

Color	Black (Special Color on Request)
Material	SPCC T:1.6mm

Drawing

